

DISCLAIMER NOTICE:
 SPECIFIC INFORMATION
 REQUIRED FOR COMPLIANCE
 WITH LOCAL CODES IS THE
 RESPONSIBILITY OF THE
 DESIGNER

OPTION 1 (ANCHOR BOLTS)

BOLT SIZE & c/c
 SPACING AS PER CODE
 OR AS SPECIFIED

ADDITIONAL ANCHORAGE OF
 FRAME TO RIM JOIST
 INSTALLED WHERE REQUIRED
 BY CODES FOR HIGHER
 SEISMIC CATEGORIES

45° BEVEL TOP & BOTTOM
 OF OPENING

OPTION 2

(LEDGER CONNECTION
 SYSTEM AS MANUFACTURED
 BY SIMPSON STRONG TIE,
 SPACING AND INSTALL PER
 MANUFACTURERS
 SPECIFICATIONS)

EXTERIOR FINISH AS
 SPECIFIED


NUDURA 6" (152mm)
 STANDARD FORM UNIT

OPTION 3

(ICF CONNECT HANGER SYSTEM
 MANUFACTURED BY ICF
 CONNECT LTD.) INSTALLED TO
 MANUFACTURERS
 SPECIFICATIONS



HORIZ/VERT REINFORCING
 AS PER CODE OR AS
 SPECIFIED IN APPENDIX
 'D' FOR ABOVE GRADE

MULTI PURPOSE HANGER
 SYSTEM INSTALLED PER
 MANUFACTURERS
 SPECIFICATIONS



The architecture, engineering, and design of the project using the Nudura products are the responsibility of the project's design professional. All products and systems must comply with local building codes and standards. This detail is for general information and guidance only and Nudura specifically disclaims any liability for the use of this detail. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project. This detail is subject to change without notice. Contact Nudura to ensure you have the most recent version.

Typical Details

 <p>Nudura Technical Support: 866-468-6299 International: +1 705-726-9499</p>	Detail: Nudura 6" (152mm) Form Unit Floor Connection Options Floor Types and Exterior Finish as Specified			File Name: C-4	 <p>Construction Products Group</p>
	Drawn by: J.N / N.L	Scale: NTS	Date: 5/9/2022	tremcocpg.com	