NUDURA STANDARD 152mm FORM UNIT

HORIZONTAL/VERTICAL REINFORCEMENT AS SPECIFIED BY LOCAL PRESCRIPTIVE OR ENGINEERING DESIGN

APPROVED I.C.F RENDER LAPPED AT DAMP PROOF COURSE

DAMP PROOF COURSE/RADON BARRIER

FINISH GRADE 152mm BELOW DPC THROUGH FORM

CAPPED OUTLET VENT

MASONRY BLOCK FOUNDATION WALL

STRIP FOOTING SIZE AS PER ENGINEERED DESIGN

PLASTER BOARD

75mm CONCRETE FLOOR SCREED

90mm NUDURA FLOOR TECHNOLOGY OR EQUIVALENT

125mm FLOOR SLAB

50mm SAND BLINDING

HARDCORE FILL

100mm RADON OUTLET PIPE AS SPECIFIED

DISCLAIMER NOTICE:
SPECIFIC INFORMATION REQUIRED FOR COMPLIANCE WITH LOCAL CODES IS THE RESPONSIBILITY OF THE DESIGNER

NUDURA®
INTEGRATED BUILDING TECHNOLOGY
Building Value

STANDARD 152 mm FORM UNIT
STRIP FOOTING
FOUNDATION DETAILS
DAMP PROOF COURSING w/
RADON PROVISIONS

REV. NO. 001 KS	DWG NO.
DATE: SEPT 2015	CE−4
DRAWN BY: K. STILL	SCALE: 1 : 8

NUDURA®
INTEGRATED BUILDING TECHNOLOGY
Building Value